How to prepare for an Equipment Audit

To book an equipment audit please select this link or contact the Sailing Office.

Summary:

To prepare for the audit, the owner and possibly a crew member should work through the Special Regulations which can be downloaded from the RSYS website – RRS and Special Regulations 2021-2024. It is essential to ensure you have all the required equipment in good working condition and if necessary, ensure that it has been serviced and/or is in date (in particular - flares, medical Items, fire extinguishers, personal floatation devices (PFDs) and life rafts).

The correct Equipment Audit form (Categories 1 - 7) can be downloaded from the Australian Sailing website at the link above and should be completed (items initialed) and available for the auditor when your yacht is audited. To assist the auditors, you should layout all the equipment from its normal storage position, for ease of inspection.

Preparing for an Equipment Audit:

The owner or his representative *must* carry out an initial inspection and tick/sign the appropriate box on the form. Make sure you check expiry dates and quality of equipment and identify the location of equipment that will be presented during the inspection.

The skipper or knowledgeable crew member must be on board during the inspection.

The owner's Australian Sailing number and vessel registration form must be made available to the auditor or the Equipment Compliance form cannot be completed.

Equipment Layout for Inspection:

Please be on time for your audit. All items required for safety inspection should be laid out prior to the auditor coming on board. Prior preparation will significantly reduce the time taken to complete the inspection.

- Storm boards ready to be put in place.
- Sea cocks and plugs exposed, not hidden by equipment.
- Fire extinguishers taken from brackets so date tags can be sighted.
- First Aid kits open and items with use-by dates visible.
- Publications and charts on chart table including copies of service certificates and any
 additional safety documentation, i.e., stowage plans, EPIRB registration, PFD service
 certificates, emergency navigation lights with batteries fitted. PFDs, harnesses, tethers,
 and flares laid out.
- Lifelines tightened and lashings replaced annually if applicable.

Additional RSYS Safety Requirements for Category 7:

ltem	Owner	Auditor				
Communications - Operational handheld or installed VHF radio						
Navigation Lights - Operational navigation lights, either permanent or portable						
Torch - Operational and waterproof						
Sling Inspection (if applicable) - Fit for purpose and authorized annual inspection						

Sail Number:

Owners Responsibility:

It is the owner's responsibility to ensure that the boat continues to comply with the category audited and that all equipment remains on the boat, is kept in good working order and is replaced or repaired as necessary. The audit only verifies that the equipment is on board at the time of inspection.

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY		NOHULLS ULTIHULLS		races in sheltered		n daylight ho	urs only
DATE OF AUDIT	DALL RECOGNISHED BY SANDERS OF		STATE OF THE PARTY OF THE PARTY.	NAME:			
				tated in Notice of Race. spot checks Special Regul			s required
OWNER(S) NAME(S):							
OWNER(S) CLUB(S):	-				Nation of the second		
BOAT DETAILS							
LH:				BOAT REGISTRATION N	0:		
DISPL (tonnes):		a in the s	(1. E) (1	VARIABLE (WATER) BALL	_AST: YE	s NO	- 0
HULL COLOUR:		4		FIXED KEEL or LIFTING F	KEEL or CANTI	NG KEEL (circle)	
DECK COLOUR:				DISTINGUISHING MARKS	S:		
MAX CREW:							
DECLARATION BY	PERSON II	N CHARGE					
all of the boat's equipment Signed by Person in C	as specified in the control of the c	n the current AS Spe	ecial Regulatio	02.2, 1.02.3 and 2.03.1. I uncons, and ensure it will be on both Date: lowing pages was cor Re-Inspected by	oard for each r	ace.	
			-				
EQUIPMENT AUDITOR DECLARATION I have checked the abovementioned boat in accordance with SR 2.02.1, as summarised in the following list, and the items listed were compliant as per the AS Special Regulations at the time and date of this audit. (Form not to be signed until outstanding items detailed above have been rectified). Audited by AS NEA: Signed by AS NEA:							
AS Number:	12			Date:	F		
EARLIEST EXPIRY			not applic	able 'n/a' if relevant			
ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire ext (12 mth.)				Lifejackets			
NOTE: Some clubs will not accept self-servicing of lifejackets. Check with the club for specific requirements.							
Australian Sailing	3	Sailing		Sailing S	Z A	astralian Sailing	
Sailing S	3	Salling		Sailing S	A	sustralian Sailing	

Australian Australian Australian Sailing Sailing

AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY 7

MULTIHULLS

MONOHULLS & Short races in sheltered waters in daylight hours only with effective rescue availability

DATE OF AUDIT

SAIL NO:

BOAT NAME:

This section to be completed and ticked or initialled by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-'

Reg	Structural Fixed Deck Items	Р	Α
2.03.1	Equipment functions & adequate for intended use		
2.03.2	Ballast & heavy equipment secured		
3.06.1	(b) Enclosed cabin, ≥ 5.5m LH, and carrying fuel below decks, 2 exits		
3.08.8	Multihull minimum drain sizes after allowance for screen 20 cm ² per m ³ of cockpit		
3.20.6	Bilge pump not to discharge into closed cockpit		
3.20.6	Bilge pump not connected to cockpit drains		
If Fitted	Bilge pump minimum suction bore 25 mm		
II I Itteu	Bilge pump & strum boxes accessible		
3.28.1	Hull Identification, min 50 mm; name & state rego; OR name, sail number & club		
4.01.1	Sail numbers as per RRS 77 and Appendix G		
Reg	Structural/Fixed Items Below	P	A
	(a)(i) Lifelines uncoated stainless steel wire, or		
	(a)(iii) HMPE rope of minimum diameter		
	(b) Loose sleeve permitted		
3.12.6	(d) Gap secured by lanyard ≤ 100 mm;Lanyard		
If fitted	replaced annually		
	(e) Total lifeline system ≥ strength of required wire	-	
	Lifeline size minimum: LH < 8.5 m: 3 mm; LH 8.5 m -		
190	13 m: 4 mm; LH > 13 m: 5 mm		
	Cooking stove/heating appliance safe use in seaway		
	e.g. Gimballed with accessible shutoff		-
	Gas or methylated spirits only fuels for cooking	_	
3.17	"REMEMBER Turn Off Gas At Bottle" sign		
If fitted	Gas detection for permanent pilot light	-	
	Disposable gas canisters ≤ 225 grams		_
	Gas bottle, spare canisters in separate compartment ventilated overboard		
3.24.6	Dedicated starter battery if electric starter is only	-	-
If fitted	method of starting		
3.24.7	Separate generators, if carried, securely covered and		
If fitted	permanently installed		
3.24.8	Fuel tank shut off valve/cock if fuel can escape or		
If fitted	siphon		
	(a) Petrol tanks – see regulation		
	(b) Diesel tanks metal or other certified material		
0.04.0	(c) Fuel lines comply		
3.24.9	(d) Outboard tanks secured on deck or ventilated		
If fitted	compartment; manufacturer supplied or recognised national standard		
	(e) Petrol not below decks in portable containers		
1 12	(f) Flexible fuel tank not permitted		
			604
Reg	Portable Equipment	Р	A
3.20.9	2 x 8 litre buckets, stout construction with lanyard		
3.24.10	If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²		
4.04.2	If motor or stove fitted: 1 x fire extinguishers 1A:10BE		
If fitted	dry powder min or equiv.		
4.04.4	Fire blanket (for cooking device with open flame)		
	(a) Anchors & ground tackle as per Table 1		
4.05.1	(b) Anchor & warp sizes Table 2 or Table 3		$\overline{}$
	Anchor 1 Typekg/size		
4.07.4	First aid kit, waterproof container; contents as listed at		
4.07.9	end of this form (alternative brands permitted)		
4.10.3	Current AS "Racing Rules of Sailing" and "Special		
1000 00000	Regulations Part 1"; electronic or hard copy		
4.15.3	Sharp knife sheathed, restrained in or near cockpit		
4.16.1	Name on all buoyant equipment & items		
4.16.2	Personal lifejacket marked to identify owner		
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts (i) Lifejacket ≥ 50N in service		-
5.01.1	(i) Litejacket 2 50N in service Number (1 per crew)		
3.01.1	(See regulation for compliance standards)		
	(222.2galation for compilation otalidata)		

4.07.9 First Aid Kit Contents List – within expiry date				
NON-PRESCRIPTION	P	A		
Soluble Aspirin (e.g.Disprin) x 20				
Disposable gloves x 10				
Crepe bandages 75 mm x 1.5 m x 2				
Low absorbency non-adherent dressing/plain gauze (e.g. Melolin) x 5				
Bandaids or equivalent rollof bandaid x 20				
Normal saline 30 ml x 2				
Sunscreen 30+ 250 ml x 1				
Scissors, stainless steel x 1				
CPR mask or 6 face shields				

END OF FORM

As this form is for national use and portability, please use a separate checklist page for additional club/race organiser requirements

requirements	
Australian Sailing	Australian Sailing
Sailing S	Sailing Sailing
Sailing Sailing	Sailing Sailing
Sailing Sailing	Australian Sailing
Sailing Sailing	Sailing Sailing
Sailing Sailing	Sailing Sailing
Sailing Sailing	Australian Sailing
Sailing Sailing	Sailing Sailing